VISIT…

Index

Adaptive design 11
Aesthetics 2, 351 et seq.
Alloys, *see* Metals
Approximate solutions for standard problems 375 et seq.
Atomic bonding 43, 46
Attributes:
  materials 66, 67
  processes 261

Bar codes 354
Batch rate 276
  size 275
Beams 73, 75
  static solutions 73, 75, 167 et seq., 380, 382
  vibrating 398
Bearings for ships rudders 157
Bells 46
Bending of beams 167 et seq., 380, 382
Bicycle forks 198
Buckling:
  local 176
  of columns 384
  shape factor for 171

Case studies, *see* particularly Chapters 6, 8, 10 and 12
  bar codes 354
  bearings for ships rudders 157
  bicycle forks 198
  ceramic valves for taps 154, 290
  connecting rods 228, 278
  cork screws 14
  data for a ceramic 340
  data for a ferrous alloy 334
  data for a glass-filled polymer 342
  data for a metal-matrix composite 344
  data for a natural material 347
  data for a non-ferrous alloy 335
  data for a polymer 338
  data for a polymer-matrix composite 345
  deflection-limited design with brittle polymers 192
  diaphragms for pressure actuators 122
  disposable coffee cups 241
  economical casting 292
  elastic hinges 116
  energy-efficient kilns 143
  fabricating a pressure vessel 284
  fans 105, 281
  floor joists 200
  flywheels 100, 388
  forks 359
  forming a fan 281
  forming a silicon nitride micro-beam 289
  forming ceramic tap valves 290
  golf-ball print heads 108
  hairdryers 357
  heat-storing walls 147
  knife-edges and pivots 125
  magnet windings 232
  man-powered planes 194
  manifold jacket 293
  micro-beams 289
  oars 85
  precision devices 151
  pressure vessels 133, 284, 396
  seals 119
  shaker tables 137
  short-term isothermal containers 140
  spark plug insulator 298
  springs 111, 206, 219, 334
  stiffened steel sheet 204
  structural materials for buildings 97, 200
  table legs 93
  taps 290
  telephones 355
  telescope reflectors 89, 344
  vacuum cleaners 4
  wing spars 194
Catalogue of data sources 313 et seq.
Centrefugal forces and stresses 100, 388
Ceramic valves for taps 154, 290
Ceramics, *see also* Charts, and Material properties 20, 35, 88, 96, 104, 114, 125, 323
  alumina 35, 127, 156, 160
  brick 100, 149
  cement 149, 324
  common rocks 149, 325

Ceramics (*continued*)
concrete 92, 100, 140, 149, 324
diamond 35, 127, 154
ice 53, 149
magnesia 160
mullite 156
porous ceramics 147
sapphire 127
selection of 32 et seq.
sialons 35, 156
silicon 127, 154
silicon carbide 35, 127, 154, 156
silicon nitride 35, 127, 156
stone 100, 325
tungsten carbide 127
zirconia 35, 142, 340 et seq.
Charts, *see* Material Selection Charts and Process Selection Charts
Classes:
materials 20, 21, 35, 414
processes 246, 248, 416
Cold working 250
Columns 76, 384
Complexity 266 et seq.
Composites, *see also* Charts, and Material properties 21, 35, 324
carbon fibre reinforced polymer, CFRP 88, 92, 96, 104, 108, 114, 135, 196, 199, 345
ceramic matrix 367
glass fibre reinforced polymer, GFRP 88, 92, 96, 104, 108, 114, 135, 140, 147
glass filled nylon 342
intermetallic matrix 367
Kevlar fibre reinforced polymer, KFRP 140
metal matrix composites, MMC 230, 236–7, 344, 367
Compound objectives 211 et seq., 228 et seq.
Conceptual stage of design 8, 9, 15
Connecting rods 228, 278
Constitutive equations 376
Constraints 66, 69 et seq.
multiple 210 et seq., 215, 228 et seq.
Contact stresses 391
Cork 36, 122, 147
Cork screws 14
Correlations between material properties *see also* Charts 310
Corrosion 59, 60
Co-selection of material and shape 186
Cost 276 et seq.
capital 277
case studies 278, 292
dependence on finish 271
estimation 276
modelling 276
of casting 278, 292
of labour 277
of material 22, 56, 276–7
of process 274
of product 241–2
technical modelling of 278
Coupling lines and equations 218
Cracks 133 et seq., 394
Creep solutions 398

Damage-tolerant design 44, 133
indices 411
Damping, *see* Loss coefficient
Data:
catalog of sources 313 et seq.
checking methods 309
correlations 310
estimation 309, 313
examples 334 et seq.
for a ceramic 340
for a ferrous alloy 334
for a glass-filled polymer 342
for a metal-matrix composite 344
for a natural material 347
for a non-ferrous alloy 335
for a polymer 338
for a polymer-matrix composite 345
for further information 307
for material properties, *see* Material properties
for screening 305
handbooks 313 et seq., 334 et seq.
information services 330 et seq.
Internet access 308
levels, of breadth and precision 303
needs 303
sheets 334 et seq.
sources and their use 303 et seq., 334 et seq.
structure 305
types 305
world-side web sources 330 et seq.
Data sources 334 et seq.
for cement and concrete 324
for ceramic-matrix composites 324
for ceramics and glasses 323
for foams 324
for manufacturing processes 327
for metal-matrix composites 324
for metals 314 et seq.
for natural fibres 326
for polymer-matrix composites 324
for polymers and elastomers 322
for stone, rocks and minerals 325
for woods and wood-based composites 326
world-wide web sites 327 et seq.
Decoration 353
Density:
charts 37, 39, 41
data 37

definition 22
origins 36
Deflection-limited design 73, 167, 192, 380, 389
Deflection-limited design with brittle polymers 192
Design:
adaptive 11
conceptual 8
detailed 8
embodiment 8
flow chart 9
industrial 351 et seq.
mechanical 1
museums 353
original 10
process 8 et seq.
tools 11
types 10
variant 11
Design-led selection 8, 17
Detailed stage of design 8
Diaphragms for pressure actuators 122
Diffusion 404
Disks:
elastic deflection 388
spinning 388
Disposable coffee cups 241

Economics of casting 292
Economic criteria for selection 275
Elastic bending 73, 167 et seq., 380
buckling 171, 176, 384
contacts 390
energy 111, 206, 219, 330
hinges 116
stress concentrations 392
twisting 386
Elastomers, *see also* Charts, and Material properties 21, 36, 114, 119, 125, 147
butyl rubber, BR 36, 143
chlorosulphinated polyethylene, CSM 143
natural rubber 36
polychloroprene, CR 143
polyurethanes 36
silicones 36
Electro-mechanical design 232, 412
Embodiment stage of design 8
Energy content of materials 368 et seq.
Energy-efficient kilns 143
Energy storing devices:
flywheels 100 et seq., 388
pressure vessels 133 et seq., 284, 396
springs 111, 206, 219, 334
Engineering alloys, *see* Metals
Engineering ceramics, *see* Ceramics
Engineering polymers, *see* Polymers
Environmental attack 59, 60
Environmental impact of materials 367, 373
indices 368
Estimation methods for material data 309
Evolution:
of engineering materials 3
of hairdryers 357
of telephones 355
of vacuum cleaners 4
Exchange constants 218, 220
Expert systems 308

Fabricating a pressure vessel 284
Failure diagrams 178
Failure in bending 75, 170, 382
Failure in torsion 170, 386
Fans 105, 281
Finite element analysis 8
Floor joists 200
Flywheels 100, 388
Foams, *see also* Charts, and Material properties 36, 122, 143, 324
cork 36, 122, 147
phenolic foam 239, 241
polycarbonate foam 243
polyester foam 36
polyethersulphone foam 239
polyethylene foam 243, 245
polymethacrylimide foam 239
polypropylene foam 241, 245
polystyrene foam 36, 92, 239, 241, 243, 245
polyurethane foam 241
Forces for change 363 et seq.
Forks 359
Forming a fan 281
Forming a silicon nitride micro-beam 289
Forming ceramic tap valves 290
Forming, *see* Processes
Fracture toughness:
case studies 133, 192
charts 43 et seq.
data 43 et seq.
definition 26
lower limiting value 45
origins 43 et seq.
Function 8, 13, 69
Function structure 8, 17
Functional requirements 17
Functionally graded materials 367
Fuzzy logic 214

Glasses, *see also* Charts, and Material properties 20, 35, 92, 125
borosilicate glass 35
quartz 127

Glasses (*continued*)
silica glass 35, 160
soda glass 35
Glass temperature:
definition 28
influence on damping 46
Golf-ball print heads 108
Green engineering 367
Guide lines for materials selection 80 et seq.
Hairdryers 357
Handbooks 313 et seq., 334 et seq.
Heat capacity, *see* Specific heat
Heat flow 402
Heat-storing walls 147
History of material usage 3
Hot working 250
Hysteresis, *see* Loss coefficient

I-Beams 163 et seq., 172 et seq.
Indices, *see* Material indices
Industrial design 2, 334 et seq.
Information content 266 et seq.
Insulation:
for kiln walls 143
for thermal storage 147
latent heat 'sinks' 142
short term 140
Intelligent materials 367
Introduction 1
Internet data sources 308

J-integral 40
Joists 200

Kilns 143
Knife-edges and pivots 125

Lattice resistance 39
Leak-before-break criterion 133
Lightweight design 71 et seq., 408–9
Local buckling 176
Local issues in selection 68
Log decrement, definition 27
Loss coefficient:
chart 48
data 48
definition 27
origins 46

Magnet windings 232
Man-powered planes 194
Manifold jacket 293
Market need 8–9, 12
Market pull 363
Material classes 21, 35
Material indices 69 et seq., 78, 408 et seq.
catalog 407 et seq.
damage-tolerant design 411
definition 70
derivation of 71, 78
efficient thermal design 411
elastic design 408
electro-mechanical design 232, 412
examples of derivations 71 et seq.,
minimum cost design 76
minimum energy-content design 368 et seq., 408, 409
minimum weight design 71, 73, 75
stiffness-limited design 408
strength-limited design 409
tables of 78, 408 et seq.
thermo-mechanical design 411
vibration-limited design 410
with shape included 180 et seq.
Material properties 20 et seq., 32 et seq.
coefficient of friction 59–60
corrosion 62
cost 22, 56, 58, 364
creep constants 28
definitions of 22
density 22, 37, 39, 41
eco-indicators 369
endurance limit 22
energy content 369
environmental 367
failure strain 40
fatigue ratio 27
fracture toughness 26, 41, 45, 47
glass temperature 28
hardness 25, 266
high temperature strength 55
J-integral, critical 40
log decrement 27
loss coefficient 26
maximum service temperature 28
melting point 28
moduli 22, 37, 42, 45, 48, 52, 57, 266, 309
modulus of rupture 24
parabolic rate constant 30
process zone size 46–7
Q-factor 27
relative cost 57–8
resilience 25
softening temperature 28
specific damping capacity 27
specific heat 28, 48
strength 23, 39, 42, 47, 58
surface energy 43
tensile strength 38
thermal conductivity 27, 31, 49

thermal diffusivity 28, 49
thermal expansion coefficient 28, 52, 312
thermal shock resistance 28
toughness 26, 45
ultimate strength 25
wave velocity 37–8
wear constant 29, 60
Material Selection Charts 32 et seq., 413 et seq.
modulus/density 37, 418
strength/density 39, 420
fracture toughness/density 41, 422
modulus/strength 42, 424
specific modulus/specific strength 44, 426
fracture toughness/modulus 45, 428
fracture toughness/strength 47, 430
loss coefficient/modulus 48, 432
thermal conductivity/thermal diffusivity 49, 434
thermal expansion/thermal conductivity 51, 436
thermal expansion/modulus 52, 438
strength/thermal expansion 54, 440
strength/temperature 56, 442
modulus/relative cost 57, 444
strength/relative cost 58, 446
coefficient of friction 59
wear rate/hardness 60, 448
resistance to environmental attack 62
modulus/energy content 370, 450
strength/energy content 371, 452
use of 77 et seq.
Materials, *see* Metals, Ceramics, Polymers, Glasses, Elastomers, Composites, Wood, Foams , Porous ceramics or individual material names
Materials in design 1
Materials selection, 65 et seq.
case studies, *see* Case studies
software 375 et seq.
Mechanical design 1
Merit indices, *see* Material indices
Metals, *see also* Charts, and Material properties 20, 35, 314 et seq.
aluminium alloys 92, 104, 111, 135, 154, 196, 199, 230, 337
beryllium alloys 92, 104, 119, 213, 231
cast irons 100, 104, 108, 140, 230
copper alloys 135, 154, 236
gold 154
invar 43, 122, 154
lead alloys 104
magnesium alloys 92, 104, 111, 140, 199, 231
manganese–copper alloys 140
molybdenum alloys 154
nickel alloys 293
silver 154, 237
speculum metal 89, 92
steels, carbon 92, 100, 114, 119, 125, 127, 135, 196, 199, 201, 204, 230, 236
steels, stainless 334 et seq.
tin alloys 111, 135, 199
titanium alloys 104, 125, 213, 230
tungsten alloys 154
type metal 111
Micro-beams 289
Microscopic ('microstructural') shape factors 182
Minimum cost design 76 et seq., 408–9
Minimum energy-content design 368 et seq., 408–9
Minimum weight design 71 et seq., 408–9
Modelling: 69 et seq., 86 et seq.
aids 376 et seq.
examples 86 et seq.
Moduli:
charts 37, 42, 44–5, 48, 52, 57, 370
data 37
definitions 23
origins 36
Moments of sections 164, 378
Multiple constraints 210 et seq., 228 et seq.
Multiple design objectives 210 et seq., 228 et seq.
Museums 253

Normalized strength:
charts 44
data 44
definition 43

Oars 85
Objectives 66, 69, 218 et seq.
Optimization 67 et seq.
Optimum design 65 et seq.
Original design 10

Peierls stress, *see* Lattice resistance
Performance 65 et seq., 79
Performance-maximising criteria, *see* Material indices
Pivots 125
Poisson's ratio, *see* Moduli
Polymer forming 180, 183
Polymers, *see also* Charts, Foams and Material properties 21, 35, 129, 143, 147, 332
epoxies, EP 111
nylons, glass-filled 342
nylons, PA 108, 111, 114, 119, 122, 125, 129
polycarbonates, PC 129
polyethylene, high density, HDPE 108, 119, 122, 143, 149, 160
polyethylene, low density, LDPE 119, 122, 338
polypropylene, PP 119, 122, 125, 143
polystyrene, PS 129
polytetrafluorethylene, PTFE 119, 122, 125, 160
polyurethanes, PU 122

Polymers (*continued*)
polyvinylchloride, PVC 108
silicones 122
Porous ceramics, *see also* Charts and Material Properties 147
brick 100, 149
cement 149, 324
common rocks 149, 325
concrete 92, 100, 140, 149, 324
ice 53, 149
Precision 270 et seq., 282, 286, 290–1, 295
Precision devices 151
Pressure vessels 133, 284, 396
Primary forming methods 246
Problems Appendix C
Process:
attributes 261
catalog of methods 246
classes 246, 248
costs 274 et seq., 292
Process selection 246 et seq., 281 et seq.
case studies 281 et seq.
ranking 274
screening 264
strategy 273
supporting information 279
Process selection charts 264 et seq., 454 et seq.
complexity /size 270, 284, 464
hardness/melting temperature 266, 285, 456
material/process matrix 454
shape classification 268, 460
shape/process matrix 462
surface area/section/slenderness/volume 269, 283, 458
tolerance/surface roughness 265, 270, 286, 466
Process zone:
chart 47
definition 46
Processes 246 et seq., 327
adhesive bonding 256, 258
ballistic-particle manufacture 259
blow moulding 249, 251
casting 247–8, 288, 292
cold working 250
composite forming 254
CVD 248, 291
deformation 248, 250
die casting 282, 287, 292
die pressing 253
drawing 253
electroforming 287, 291, 297
electron-beam casting 291
extrusion 252
fabrication 256, 288
fastening 256–7
filament winding 254
finishing 248, 257
forging 252
friction welding 258
grinding 256
heat treatment 248, 256
HIPing 253
hot working 250, 288
injection moulding 250, 282
investment casting 247, 282, 297
joining 248, 256
laminated object manufacture 260
machining 48, 255, 288
micro-fabrication 289
moulding 249
polymer forming 248–9
powder methods 248, 252, 291
primary forming 246
rapid prototyping 258
resin-transfer moulding 250, 287
rolling 251
sand casting 247–8, 292
secondary forming 247
sheet forming 253
sintering 248, 252, 291, 299
solid-ground curing 259
special forming methods 248, 254
spray forming 255
squeeze casting 287
stereo-lithography 260
tertiary forming 247
transfer moulding 250
turning 255
warm working 250
welding 256–7
Processing 246 et seq.
Production rate 276
Properties, *see* Material properties
Property limits 68, 70
Property profiles 20, 66

Ranking of materials 65, 67
Ranking of processes 274
Recycling of materials 373
Reuse of materials 373
Roughness 265, 270–1
Rubber, *see* Elastomers

Science push 366
Screening of materials 65, 67
Screening of processes 264
Seals 119
Secondary forming processes 247
Section shape, *see* Shape
Shaker tables 137

Shape, *see also* Shape factors 13, 162 et seq., 194 et seq.
  case studies 194 et seq.
  classification 268
  efficiency of 172
  macroscopic 162
  microscopic 13, 182 et seq.
  moments of area 164
  selection of 186
Shape factors 162 et seq., 190
  co-selection with material 186
  definition of 162
  examples of use 186, 194 et seq.
  for elastic bending 167, 180
  for elastic buckling 171
  for elastic twisting 170, 180
  for failure in bending 170, 181
  for failure in twisting 170, 182
  geometric constrains for 190 et seq.
  in material indices 180, 195
  limits imposed by material 175 et seq.
  microscopic or "microstructural" 182 et seq.
  values for 165, 166
Shear modulus, *see* Moduli
Short-term isothermal containers 140
Software for materials selection 375 et seq.
Spark plug insulator 298
Specific heat:
  chart 49
  data 49
  definition 28
  origins 49
Specific stiffness:
  chart 44
  data 44
  definition 43
Specific strength:
  chart 44
  data 44
  definition 43
Springs 111, 206, 219, 334
Standard solutions of mechanics and heat flow 375 et seq.
Stiffened steel sheet 204
Stiffness-limited design 408
Strength-limited design 409
Strength:
  charts 39, 42, 44, 54
  data 39
  definition 23, 38
  origins 38
Strength at elevated temperature:
  chart 56
  data 56
  definition 55
Stress concentrations 392
Stress intensity factors 394
Structural index 71, 82 et seq.
Structural load coefficient, *see* Structural index
Structural materials for buildings 97, 200
Structure-sensitive properties 34
Supporting information for materials 67–8
Supporting information for processes 279
Surface finish 271

Table legs 93
Taps 290
Technical systems 8–9
Telephones 355
Telescope reflectors 89, 344
Tertiary forming processes 247
Texture 253
Thermal conductivity :
  charts 33, 49, 51
  data 49
  definition 27
  origins 47 et seq.
Thermal diffusivity:
  chart 33
  data 49
  definition 27
  origins 47 et seq.
Thermal distortion:
  case study 151
  chart 54
  definition 28
  origins 54
Thermal expansion coefficient:
  charts 51–2, 54
  data 51
  definition 28
  origins 50
Thermal shock resistance:
  chart 52
  data 52
  definition 28
  origins 53
Thermal stress:
  chart 52
  data 52
  definition 53
  origins 53
Tolerance 265, 270–1
Torsion of shafts 386
  shape-factors for 170–1
Toughness:
  chart 43
  data 43
  definition 26
  origins 43

Tubes 175 et seq.
failure mechanisms 177
Types of design 10

Useful solutions to standard problems 375

Vacuum cleaners 4
Value functions 218, 220
Van der Waals bonding 40
Variant design 11
Vibration 398
natural 151
damping of 137, 151
supressing 151, 204

Warm working 250
Wave velocity:
chart 37
data 37
definition 38
Wear constant:
chart 60
data 60
definition 61
Weight factors 212
Wing spars 194
Woods, *see also* Charts, and Material properties 84, 92, 96, 100, 115, 147, 182, 200, 326
ash 347
balsa 196, 347
bamboo 199–200
hickory 347
pine 201
spruce 196, 199, 347
wood products (ply, etc.)
yew 347
World-wide web 308, 330 et seq., 340

Yield-before-break criterion 250
Youngs modulus, *see* Moduli